



DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE

At. Po. Lonere, Tal. Mangaon, Dist. Raigad 402 103 MS (www.dbatu.in)

INVITATION FOR QUOTATION

29 NOV 2025

Our Ref No.: DBATU/store/Chem Engg.(Diploma)/Rotary Vacuum Evaporator/2025/3815 Date: 29/11/2025

Quotation For: Rotary Vacuum Evaporator

Due On: 15/12/2025

Date of Opening: 16/12/2025

Time: 11:00 am

To,

Sub: QUOTATION FOR THE SUPPLY OF STORE

Dear Sir,

Your quotation for the items listed overleaf, may please be submitted to the under signed, so as to reach this Office not later than: 15/12/2025


While submitting your quotation, the following procedure may please be observed and other points borne in mind.

1. The maker's name must be specified.
2. The "Terms and Conditions" for supply and delivery of stores, should be clearly indicated in the quotation, stating whether rates are, inclusive of all taxes, Packing and forwarding charges Freight charges, etc. or not, however rates offered as including all taxes will be more welcome.
3. If packing and forwarding charges are to be charged separately, it should be so clearly stated in your quotation.
4. Please mention clearly whether consignment would be Ex-Godown, Ex-Shop, of F.O.R. dispatching stations. Preferably terms offered as "Delivery of consignment of stores, on F.O.R."
5. Envelope should be super-scribed "Quotation for reference No..... of dated....." It should also be superscripted as per the format given above.
6. The quotation would be opened as per date and timing given above, if desired by you, you may depute an authorized representative with a letter of authority to be present at the time of opening of the quotation at this Office on the aforesaid day, date & time.
7. Your quotation must be valid for a minimum 30 (Thirty) working days from the date of its opening.
8. Quotation received after the date of opening may not be taken into consideration.
9. Items tendered should confirm to the specification shown in the attached list when and where, full or no specifications are indicated against items in the list. Kindly furnish your full specification in accordance with accepted standards against each item tendered. Where reference to catalogue is made, the relevant catalogues/ Pamphlets/ Literature should accompany the quotation.
10. Your quotation should be for all new items and not for second hand.
11. Please state whether items will be available Ex-Stock. If not the minimum period for delivery, or for supplying the items or stores.

12. It should be clearly stated whether GST, Insurance, Freight or packing and forwarding charges, or any other taxes and duties, etc. leviable.
13. It would be appreciated if illustrated catalogues/Literature etc. is furnished with the quotation.
14. Expression to as "Complete with standard Equipment" complete with standard accessories "Equipment to" As good as should be avoided. If at all their use is unavoidable then it should be very specifically indicated as to what exactly they mean and what exactly would be supplied under them. Any ambiguity or vagueness should be avoided.
15. For convenience, kindly adopt while quoting the same serial Nos. as given in the list detailed below.

Thanking You.

Yours faithfully,



Registrar

Dr. Babasaheb Ambedkar Technological University,
Lonere

Sr. No.	Description / Specification	Approx. Qty Req.	Rate per / Each / Unit	Remarks
1	2	3	4	5
1.	Rotary Vacuum Film Evaporator HSN Code: 8419 Model-ALH-2199B- Fully Automatic With Vertical Condenser(Optional) & supplied Boiling Flask- 2 liter Receiving Flask – 1 Liter Specification: 1. Rotation Speed: 20 –280RPM 2. DISPLAY: Temp.(FND) 3. Temperature: Ambient to 180°C (±2°C) 4. Bath Capacity: 4 Liter. 5. Power: 220/230 VAC, 50Hz 6. Dimension(MM): 815 X 408 X 890 (Lx Bx H) 7. Weight: 19.525Kg 8. µ Processor based Controls.	01		

	<p>9. Programmable Temperature Controls 10. Accurate RPM Control 11. Brilliant Fixed Numeric Display for Temperature 12. Ergonomically designed to save bench space.</p> <p>Oil free Vacuum Pump: 1. Model-ALH-75-S 2. Max Flow -45 LPM 3. Max pressure- 55 4. Max Vacuum-27" HG (680mm)</p>			
--	---	--	--	--